

# Armorite®

## EXTERIOR TRIM



Armorite® Exterior Trim joins the Armorite® family of exterior wood products engineered to weather the rigors of outdoor environments. For more than 85 years, Roseburg has been helping builders make their mark with our structural product expertise and handshake integrity that stands behind our product performance and quality.

GROWN TO BUILD. **BUILT TO GROW.**





# Finish With Trim That's Better From the Start

Superior strength. Easier handling and finishing. Faster project turnaround. Make Armorite® Exterior Trim part of your next project and get durable, lasting results that both builders and owners love.

## FINISH YOUR PROJECT WITH PROVEN ARMORITE® PERFORMANCE

As a builder, satisfying owners now and years from now depends on your choice of durable, reliable materials that are easy to work with and easy to maintain. Armorite® Exterior Trim is engineered for straightforward installation and decades of trusted service.

- **Complete projects more efficiently.** Composite engineering means best-in-class machineability, fastening, and finishing while factory-applied exterior-grade primer limits prep work.
- **Superior strength and handling.** Made from Western softwood, Armorite® Exterior Trim is easy to manage, even at 16' lengths.
- **Ideal for all climates.** MR50 rating ensures moisture resistance and durability.
- **Beautifully adaptable.** Armorite® Exterior Trim can be used for custom architectural accents and offers both smooth and woodgrain surfaces in a single product.
- **Safely dependable.** Resists moisture, rot, decay, and termites with no-added formaldehyde.
- **Exceptional warranty coverage.** Our 50-year warranty offers peace of mind you and your customers can count on.



## INSTALLER-FRIENDLY TO SAVE TIME ON THE JOBSITE


- Factory-primed on four sides with exterior-grade primer, Armorite® Exterior Trim readily accepts your finishing coats of paint.
- Single-layer component material ensures consistent nailing with no pop-throughs or material delamination.
- Best-in-class workability delivers clean cuts, minimal sanding, and smooth paint finishes.







Armorite® Exterior Trim is ideal for corner boards, windows, doors, and trim applied to any exterior cladding.



## READY TO SHIP

With a U.S.-based supply chain, Armorite® Exterior Trim is ready for your next project.



Armorite® Exterior Trim with DuraTemp® Real Wood Siding



## PRODUCTS OFFERED All trim is available in 16' length.

5/8" Actual Thickness		4/4		5/4	
		3/4" Actual Thickness		1" Actual Thickness	
Nominal Width	Actual Width	Nominal Width	Actual Width	Nominal Width	Actual Width
Batten	2"	Batten	2" *	Batten	2" *
3"	2.5"	3"	2.5"	3"	2.5"
4"	3.5" *	4"	3.5" *	4"	3.5" *
6"	5.5" *	5"	4.5"	5"	4.5"
8"	7.25" *	6"	5.5" *	6"	5.5" *
		8"	7.25" *	8"	7.25" *
		10"	9.25"	10"	9.25"
		12"	11.25"	12"	11.25" *
		16"	15.25"	16"	15.25"

\* Also available in 17' lengths.

## STANDARDS & CERTIFICATIONS \*Available at Roseburg.com

### International Code Council Evaluation Service



ICC-ES Evaluation Report ESR-4012 ([www.icc-es.org](http://www.icc-es.org))

### ISO 21887 Durability of wood use class UC3A



Recognized for exterior use in above-ground applications. Resists attack by fungal decay and subterranean termites, including Formosan termites.

### Moisture Resistant



Meets grade MR50 moisture resistance



Exceeds requirements of ASTM D1037 six-cycle accelerated aging test

### Formaldehyde Emissions Regulations – Third-party certified (TPC-1) to meet the requirements of:



EPA Formaldehyde Emission Regulation, TSCA Title VI\*



Standards Council of Canada Formaldehyde Emissions Standard for Composite Wood Products – CAN/CSA 0160-16\*



No Added Formaldehyde (NAF) Exempt - State of CA Executive Order N-22-313A\*

### Recycled Content



Third-party certified 90.5% pre-consumer recycled content

### Forest Stewardship Council®



Scientific Certification Systems Certified (SCS-COC/CW-00300) – FSC-C017580 FSC® Mix and FSC® Controlled Wood - AVAILABLE OPTION\*

### Eco-Certified Composite Grademark Program



CPA ECC Sustainability Standard\*

**Distributed by:**



3660 Gateway St, Springfield, OR 97477  
800.245.1115 | [roseburg.com/exterior-trim](http://roseburg.com/exterior-trim)



ARMORITE TRIM 073124  
SKU 4033